









印制线路板  
P.C.B








ON-OFF

SCHEMATIC (NON-SHORTING)

注： "※"□表示关键尺寸(3个)。

| 8   |           |                    |      |                | TOLERANCE                    |       |           |                          |           |
|-----|-----------|--------------------|------|----------------|------------------------------|-------|-----------|--------------------------|-----------|
| 7   |           |                    |      |                | UNLESS SPECIFIED             |       |           |                          |           |
| 6   |           |                    |      |                | WITHIN 1.5mm : ±0.1mm        | A     | 2012-8-13 | 初版                       |           |
| 5   | SPRING    | SUS                | 1    | NATURAL        | OVER 1.5mm : ±0.2mm          | ISSUE | DATE      | DESCRIPTIONS OF REVISION | APPD.     |
| 4   | CAM STICK | SUS                | 1    | NATURAL        | TITLE : VERTICAL PUSH SWITCH |       |           | UNIT : mm                | DRWG NO.: |
| 3   | CASE      | PA66/BRASS STRIP   | 1    | GREY/Ag PLATED | MODEL:                       |       |           | SCALE: 5:1               | DWN.      |
| 2   | COVER     | PA66               | 1    | BLACK          | 东莞市高迪电子有限公司                  |       |           | CHK'D                    | 2012-8-13 |
| 1   | KNOB      | PA66/PBS C5210R-EH | 1    | WHITE/Ag CLAD  |                              |       |           |                          |           |
| NO. | PARTS     | MATERIALS          | Q'TY |                |                              |       |           | APPD.                    | 2012-8-13 |








电路简图  
(带点通功能)

SCHEMATIC (NON-SHORTING)

注： "□"表示关键尺寸(3个)。

|     |           |                    |      |                |                               |       |           |                          |           |           |
|-----|-----------|--------------------|------|----------------|-------------------------------|-------|-----------|--------------------------|-----------|-----------|
| 8   |           |                    |      |                | TOLERANCE<br>UNLESS SPECIFIED |       |           |                          |           |           |
| 7   |           |                    |      |                |                               |       |           |                          |           |           |
| 6   |           |                    |      |                | WITHIN 1.5mm : ±0.1mm         | A     | 2012-8-13 | 初 版                      |           |           |
| 5   | SPRING    | SUS                | 1    | NATURAL        | OVER 1.5mm : ±0.2mm           | ISSUE | DATE      | DESCRIPTIONS OF REVISION |           | APPD.     |
| 4   | CAM STICK | SUS                | 1    | NATURAL        | TITLE : VERTICAL PUSH SWITCH  |       |           | UNIT : mm                | DRWG NO.: |           |
| 3   | CASE      | PA66/BRASS STRIP   | 1    | GREY/Ag PLATED | MODEL:                        |       |           | SCALE: 5:1               | DWN.      | 2012-8-13 |
| 2   | COVER     | PA66               | 1    | BLACK          | 东莞市高迪电子有限公司                   |       |           | CHK'D                    |           | 2012-8-13 |
| 1   | KNOB      | PA66/PBS C5210R-EH | 1    | WHITE/Ag CLAD  |                               |       |           | APPD.                    |           |           |
| NO. | PARTS     | MATERIALS          | Q'TY |                |                               |       |           |                          |           |           |







ON-ON-OFF


SCHEMATIC (NON-SHORTING)

注： "※"□表示关键尺寸(3个).

|     |           |                    |      |                |                              |       |           |                          |           |           |
|-----|-----------|--------------------|------|----------------|------------------------------|-------|-----------|--------------------------|-----------|-----------|
| 8   |           |                    |      |                | TOLERANCE                    |       |           |                          |           |           |
| 7   |           |                    |      |                | UNLESS SPECIFIED             |       |           |                          |           |           |
| 6   |           |                    |      |                | WITHIN 1.5mm : ±0.1mm        | A     | 2012-8-13 | 初版                       |           |           |
| 5   | SPRING    | SUS                | 1    | NATURAL        | OVER 1.5mm : ±0.2mm          | ISSUE | DATE      | DESCRIPTIONS OF REVISION |           | APPD.     |
| 4   | CAM STICK | SUS                | 1    | NATURAL        | TITLE : VERTICAL PUSH SWITCH |       |           | UNIT : mm                | DRWG NO.: |           |
| 3   | CASE      | PA66/BRASS STRIP   | 1    | GREY/Ag PLATED | MODEL:                       |       |           | SCALE: 5:1               | DWN.      | 2012-8-13 |
| 2   | COVER     | PA66               | 1    | BLACK          | 东莞市高迪电子有限公司                  |       |           |                          | CHK'D     |           |
| 1   | KNOB      | PA66/PBS C5210R-EH | 1    | WHITE/Ag CLAD  |                              |       |           |                          | APPD.     | 2012-8-13 |
| NO. | PARTS     | MATERIALS          | Q'TY |                |                              |       |           |                          |           |           |



ON-OFF



电路简图

(带点通功能)

SCHEMATIC (NON-SHORTING)

注： "□"表示关键尺寸(3个)。

|     |           |                    |      |                |                                   |       |           |                          |           |
|-----|-----------|--------------------|------|----------------|-----------------------------------|-------|-----------|--------------------------|-----------|
| 8   |           |                    |      |                | TOLERANCE                         |       |           |                          |           |
| 7   |           |                    |      |                | UNLESS SPECIFIED                  |       |           |                          |           |
| 6   |           |                    |      |                | WITHIN 1.5mm : $\pm 0.1\text{mm}$ | A     | 2012-8-13 | 初版                       |           |
| 5   | SPRING    | SUS                | 1    | NATURAL        | OVER 1.5mm : $\pm 0.2\text{mm}$   | ISSUE | DATE      | DESCRIPTIONS OF REVISION | APPD.     |
| 4   | CAM STICK | SUS                | 1    | NATURAL        | TITLE : VERTICAL PUSH SWITCH      |       |           | UNIT : mm                | DRWG NO.: |
| 3   | CASE      | PA66/BRASS STRIP   | 1    | GREY/Ag PLATED | MODEL:                            |       |           | SCALE: 5:1               | DWN.      |
| 2   | COVER     | PA66               | 1    | BLACK          | 东莞市高迪电子有限公司                       |       |           |                          | 2012-8-13 |
| 1   | KNOB      | PA66/PBS C5210R-EH | 1    | WHITE/Ag CLAD  |                                   |       |           | CHK'D                    |           |
| NO. | PARTS     | MATERIALS          | Q'TY |                |                                   |       |           | APPD.                    | 2012-8-13 |